

Mobile Fencing & Security



Heras Mobile Fencing & Security

Product Brochure USA





Heras Mobile is Climate Aware

Sustainable production & enterprising

Heras Mobile Fencing & Security's three European production units are designed to produce as efficiently as possible. Energy and CO₂ reduction are achieved by applying innovative techniques and clever planning. Heras Mobile endorses the strict CRH policy on Safety, Health and Environment.

Market leader Heras Mobile invests in responsible production units and process innovation. In 2010 the goal was set to reduce CO₂ emissions with at least 20% by 2020 (based on production). The CO₂ footprints for the whole product and process chain have been mapped out. Energy consumption and waste are being limited wherever possible. Trade organisations have selected Heras as the best 'SHE' employer of 2013.

Safety, Health and Environment

Together with our staff, suppliers and customers we sustain the chain. Policy standards are:

Safety

Zero incidents in production, transport and assembly. Safety is an obvious norm, with a certified system for security management.

Health

Together we avoid incidents and reduce sick leave. Decent entrepreneurship demands upright and respectful relations with people. Heras Mobile encourages the personal development of employees.

Environment

Environmental management system. Reduction of CO₂ emission in the use of raw materials and in the production process.





Customer-oriented; the reason of our existence

Our core values

Our reason of existence is a strict focus on customers. Heras Mobile Fencing & Security is at the same time producer, supplier and service provider. Being a reliable partner we treat you and our environment honestly. Being a people-oriented company we stand for open communication, honesty and transparency.

Not one project location resembles another. Our customers can be assured of custom made advice for any specific circumstance in accordance with their wishes and requirements. Heras Mobile is constantly working on the innovation and implementation of innovative security solutions. The latest developments in products, systems and services must contribute to an optimal security of temporary locations.

People-oriented

Heras Mobile is originally a Dutch family business. The company is large and small at

the same time: a world player who is above all personal and accessible. Our company is a decentralized organization, acting close to our customers.

Loyal and driven

Typical for our driven staff is the loyalty towards the company and customers. Many have 'blue blood' in their veins and staff turn-over is minimal. We greatly value longterm customer relations and we want to accommodate you in an obviously flexible and time-driven market segment.



World Class Player

Different challenges, different solutions


What do the 2010 Commonwealth Games in India, the 2011 Rugby World Cup in New Zealand, the 2014 FIFA World Cup in Brazil, UEFA 2016 Soccer Championship in France and the Olympic and Paralympic Games in Brazil have in common?

Heras Mobile delivered the total temporary fencing fleet at these World Class Events. With big events comes big responsibility. At international sport events of this scale, thousands of people come together. Apart from large volumes, a world class event is different from any other project in many ways. Security at world class events must meet different purposes all at once. The organization of such an event is expected to manage security and infrastructure perfectly. With these world class events, Heras Mobile has proven to be the partner in creating maximum level of security.

50 years experience

In 1966 Heras became the first company in the world to standardize the production of temporary fence panels. At the moment, with the 50th anniversary of site fencing in 2016, Heras Mobile Fencing & Security passes the magical threshold of annually supplying over one million fences. Heras Mobile stands for:

- a safe working environment at building site or events
- innovative solutions for temporary outdoor security
- state of the art production facilities
- a trusted and stable company
- a pleasant, professional approach
- a stringent Health, Safety & Environment Policy




M500 Mobile fence + C-brackets

The M500 Anti Climb is the safest and most durable mobile fence for event and building site protection. The fence consists of 13 horizontal and 88 vertical wires. As an extra anti-climb feature, the wires protrude past the tube, so that climbing the fence would be quite a nasty procedure. The M500 Anti Climb is welded on all sides, giving the intrinsically strong frame an even longer service life.

Specifications

Dimension	11,5'W x 6,6'H
Mesh	1,5" x 1 3/8"
Wire Thickness	6 x 9 Gauge
Tube Diameter	1 1/6 x 1 2/3 in




M450 Mobile fence + C-brackets

The solution that provides ease of use, yet meets high security requirements. The M450 combines the advantages of Heras's top-selling M500 Anti Climb with the lightweight design of the M350. The M450 also has an extra-fine mesh. It is difficult to climb over, due to the protruding vertical wires. The 350 mm mesh height requires less steel. This reduces the weight.

Specifications

Dimension	11,5'W x 6,6'H
Mesh	1,6" x 13,8"
Wire Thickness	9 x 10 Gauge
Tube Diameter	1 1/6" x 1 2/3"



M400 Mobile fence + C-brackets

The M400 combines quality and functionality at a fair price. A sturdy pre-galvanized construction fence with 100% welded surround frame. The weight makes this fence suitable for installation by one person working alone. The tubes are welded on all sides and all corners have the reinforced corner brackets. Giving the fence a stronger frame and longer service life.

Specifications

Dimension	11,5'W x 6,6'H
Mesh	4" x 9 5/6"
Wire Thickness	6 x 9 Gauge
Tube Diameter	1 1/6 x 1 2/3 in




M400 Mobile fence 7,5' x 6,5'

This mobile fence is 7,5' wide and serves as a fitted panel for your mobile fence line. The pre-galvanised material does not leave any sharp rests behind on the frame and the panel and the production technology used is the most environmentally friendly technique available.

Specifications

Dimension	7,5'W x 6,6'H
Mesh	4" x 9 5/6"
Wire Thickness	6 x 9 Gauge
Tube Diameter	1 1/6 x 1 2/3 in




M300 + C-brackets

This M300 version is utilized with reinforced corner brackets. The tubes are welded on all sides. Both giving the fence a stronger frame and longer service life.

Specifications

Dimension	11,5'W x 6,6'H
Mesh	4" x 9 5/6"
Wire Thickness	9 x 10 Gauge
Tube Diameter	1 1/6 x 1 2/3 in




M90 Mobile fence

The M90 is the classic mobile fence, it has been in our program for over 25 years. The M90 is *hand welded* and hot dipped galvanized, this makes it a high quality and sturdy fence, easy to install, flexible to use and a long service life.

Specifications

Dimension	11,5'W x 6,6'H
Mesh	3" x 11 4/5"
Wire Thickness	6 x 6 Gauge
Tube Diameter	1 1/6 x 1 2/3 in




M90 Mobile fence + 3 x V

Easy to install and flexible to use. The welded mesh panel has been welded to the frame in a very sturdy manner. Post-galvanized.

Specifications

Dimension	11,5'W x 6,6'H
Mesh	3" x 11 4/5"
Wire Thickness	6 x 6 Gauge
Tube Diameter	1 1/6 x 1 2/3 in




M550 Mobile fence 11,5' x 8'

This impressive barrier features a very fine welded mesh panel of 1 1/2" x 6". The horizontal central tube provides extra strength and stability. All tubes of this mobile fence are completely welded on all sides. And you can add a barbed wire head to create a height of up to 9,5'.

Specifications

Dimension	11,5'W x 8'H
Mesh	1 1/2" x 6"
Wire Thickness	6 x 9 Gauge
Tube Diameter	1 1/6 x 1 2/3 in
Additional Tube	Horizontal

M100 Mobile fence 11,5' x 3,9' hook & eye



The characteristics and looks of a mobile fence are combined with the ease and convenience of a crowd barrier. A steel base plate prevents people from tripping. The M100 can be used in combination with a special adapter to create a total height of 10,5'.

Specifications

Dimension	11,5'W x 4'H
Mesh	3,9" x 9 ⁵ / ₆ "
Wire Thickness	9 x 9 Gauge
Tube Diameter	1 ¹ / ₆ x 1 ² / ₃ in



M125 Crush Barrier 19 bars

An ideal barrier to control large groups of people. The self-locking hook not only ensures easy installation, but also enables a taut fence line to be created. The maximum bar-to-bar distance of 4" makes the fence child- and animal-friendly. If you rent the crowd barriers, they will be supplied in crowd barrier stands that hold 22 units each.

Specifications

Dimension	8,2'W x 3,6'H
Vertical Tube Diameter	³ / ₅ "
Vertical Bar Number	19
Bar Distance	4 in




M130 Crush Barrier 9 bars

The crowd barrier keeps people at a distance where required. As an instrument to separate large groups of people or to guide visitor flows. Always robust and safe. This crowd barrier is ideal to quickly build up a safe and sound guidance system. Guiding people has never been easier.

Specifications

Dimension	8,2'W x 3,6'H
Vertical Tube Diameter	³ / ₅ "
Vertical Bar Number	9
Bar Distance	10 ¹ / ₄ in





M800 Cityfence RAL 9010

Obstructing views restricts theft because your valuable materials are no longer visible to criminals. And it improves the flow of traffic, providing extra safety for traffic users and for builders. The risk of dust or other materials spilling out from the building site is also minimised. And finally you leave no doubt as to the fact that your building site is safely enclosed: by the secure Cityfence.

Specifications

Dimension	7,1'W x 6,6'H
Colours	RAL 9010



M824 Cityfence + M400 mesh

Combi Cityfence can be produced in your company or municipal colours. To make the Combi Cityfence even more friendly, the fence can also be fitted with mood panels. The images on these panels let the fence blend into its surroundings, giving it a friendlier image. Standard or bespoke.

Specifications

Dimension	7,1'W x 6,6'H
Mesh	4 ¹ / ₇ " x 9 ² / ₃ "
Wire Thickness	6 x 9 Gauge
Tube Diameter	1 ¹ / ₆ x 1 ² / ₃ in
Additional Tube	Horizontal
Colours	RAL 5010





Heras Noise Control Barrier

Noise can be a nuisance. And noise nuisance can seriously disrupt a building project. Heras Mobile has a temporary noise barrier solution that prevents complaints from local residents and minimizes the risk that the process becomes delayed due to local authorities intervening. A solution that keeps sound waves confined to the building site, and that is as simple as it is effective.

Specifications

Dimension	11,6'W x 6,6'H
Weight	26 lbs







M500 Sliding gate 23' left Electric

An up-to-date and, if desired, automated system for incoming and outgoing truck traffic. With several options for limiting the traffic on your construction site - you just want to be able to work without worries. The M500 sliding gate was developed specifically for temporary use. Its flexibility enables controlled access to temporary building projects.

Specifications

Dimension	28,3'W x 6,6'H
Mesh	2" x 7 ⁷ / ₈ "
Weight	1725 lbs



Sliding gate construction set

Applicable in the existing fence line. This gate construction is practical, easy applicable and safe. This solution is used as access to temporary building projects or to create emergency exits. The sliding gate construction is easy to install between temporary or semi-permanent fencing. Thanks to an optimal tuning and the implementation in galvanized steel this fence is overall very robust.

Specifications

Dimension	11,8'W x 7'H
Weight	33 lbs



M500 Pedestrian gate

This pedestrian gate (4' wide) based on the M500 fence can be installed in all locations. The enclosed hinge lets the gate turn smoothly. The tube is shorter on one side so that the fence can turn over the block and no wheel is necessary.

Specifications

Dimension	3,9'W x 6,6'H
Mesh	1,5" x 1 ³ / ₈ "
Wire thickness	6 x 9 Gauge
Tube Diameter	1 ¹ / ₆ x 1 ² / ₃ in



M90 Pedestrian gate

Providing controlled access and knowing who is on your construction site. Custom solutions are no problem. To provide safe access for pedestrians onto your terrain, install pedestrian gates in your mobile fencing line. The enclosed hinge lets the gate turn smoothly.

Specifications

Dimension	3,9'W x 6,6'H
Mesh	3" x 11 ⁴ / ₈ "
Wire Thickness	6 x 6 Gauge
Tube Diameter	1 ¹ / ₆ x 1 ² / ₃ in

Our accessories



Recycled footing 55lbs



Recycled footing 48lbs



Recycled footing with gap 40lbs



Steel footing flat



Soilpin with 2 sleeves



Brace construction (5')



Brace



Soilpin for brace



Steel footing for brace



Anti-lift device



42/42 Security coupler



42/42 High Security coupler



High Security key



Fence hook



Mobile Fence Bracket + Lock



Wheel



Hingeset for pedestrian gate



Hinge ring for pedestrian gate



Fencenet green 164ft



Foil sail blue



Transport rack PVC for 28 fences vertical



Strap



Transport rack for 25 fences vertical



Transport rack horizontal



Transport rack for fences + footing + coupler



Transport rack for crush barriers



Extention arm for barbed wire $\varnothing 1\frac{21}{32}$ in



Y-shaped barbed wire holder



Concertina wire



Nameplate

Mobile Fencing & Security

PO Box 145, 5680 AC
Best
The Netherlands

C +1 469 992 9415
P +31 499 55 15 08
F +31 499 57 14 23
E sales@heras-mobile.us



Temporary outdoor security

Heras Mobile Fencing & Security

Heras Mobile is Europe's number one specialist for the production, sales and rental solutions for temporary outdoor security. It was Heras who invented the temporary fence in 1966. Heras Mobile is currently operational in 24 countries. Heras Mobile is a stable and reliable entity, and part of the globally operating group CRH plc. located in Ireland.

We understand the security challenges of building companies, event organizations and end-users.

Safety regulations

All Heras Mobile construction fence installations comply with government safety regulations. It should contribute to a good infrastructure and high safety level of people and vehicles. It must provide tangible security by keeping people inside or outside certain areas. High-quality accessories provide additional security for your workers, end-users and the environment.

Reliable solutions

Heras Mobile offers reliable solutions for protecting temporary limits. Our ambition is an optimal price/quality balance. Being customer-oriented is in our blood. You and your customers will get a good and safe feeling with our way of working and the high quality solutions we offer.

Europe's largest in temporary security

Heras Mobile is European market leader in temporary security solutions. This we achieved by keeping in touch with the market. The possibilities are unlimited, our staff is competent and flexible and production is ecologically responsible.